

PROGRAMME 2B: INDICATORS IN WASTE WATERS



280 € excl. VAT – total amount for 2 tests (excluding transport costs)

Price unchanged for 1 year

205 participants in 2021 – EXPERIENCE > 25 YEARS



Need to test another method, evaluate your staff?

Order **additional test samples** (parcel in its entirety): **70 € excl. VAT** (excluding transport costs)

Parameters to analyse

(implemented in each proficiency test)

22M2B.1 - Waste water - sent in April 2022 - Refrigerated parcel

Br⁻, NH₄⁺, NO₂⁻, NO₃⁻, conductivity, pH

DOC, total organic carbon (TOC), Total Kjeldahl Nitrogen (TKN), Total bound nitrogen (TN_b measured), Total-P

total suspended solids (TSS)

Chemical Oxygen Demand, Chemical Oxygen Demand (Sealed Tube method), Cl⁻

BOD₅

22M2B.2 - Waste water - sent in September 2022 - Refrigerated parcel

Br⁻, NH₄⁺, NO₂⁻, NO₃⁻, conductivity, pH

DOC, total organic carbon (TOC), Total Kjeldahl Nitrogen (TKN), Total bound nitrogen (TN_b measured), Total-P

total suspended solids (TSS)

Chemical Oxygen Demand, Chemical Oxygen Demand (Sealed Tube method), Cl⁻

BOD₅

PARTICULARITIES

'Environment approval': register also for the programme 2C. The parameters concerned by the French Order of the 27/10/11 completed by the order of the 19/10/19 will be at low concentration levels.