

PROGRAMME 71: PAHS AND PCBs IN WASTE WATERS



850 € excl. VAT – total amount for 2 tests (excluding transport costs)

Price unchanged for 8 years

37 participants in 2021 – EXPERIENCE > 20 YEARS



Need to test another method, evaluate your staff?

Order **additional test samples** (parcel in its entirety): **215 € excl. VAT** (excluding transport costs)

Parameters to analyse

(implemented in each proficiency test)

22M71.1 - Waste water - sent in March 2022 - Refrigerated parcel

PAHs: 2-methylfluoranthene, 2-methylnaphtalene, acenaphtene, anthracene, benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[g,h,i]perylene, benzo[k]fluoranthene, chrysene, dibenzo[a,h]anthracene, fluoranthene, fluorene, indeno[1,2,3 - cd]pyrene, naphtalene, phenanthrene, pyrene, acenaphtylene

PCBs: congener 28, congener 52, congener 101, congener 118, congener 138, congener 153, congener 180

22M71.2 - Waste water - sent in October 2021 - Refrigerated parcel

PAHs: 2-methylfluoranthene, 2-methylnaphtalene, acenaphtene, anthracene, benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[g,h,i]perylene, benzo[k]fluoranthene, chrysene, dibenzo[a,h]anthracene, fluoranthene, fluorene, indeno[1,2,3 - cd]pyrene, naphtalene, phenanthrene, pyrene, acenaphtylene

PCBs: congener 28, congener 52, congener 101, congener 118, congener 138, congener 153, congener 180