

AGLAE 2025 PROFICIENCY TESTING SCHEME CATALOGUE INDEXES IN WATERS



AGLAE Association

Parc des Pyramides 427 rue des Bourreliers 59320 Hallennes lez Haubourdin France

** +33 (0)3 20 16 91 40 www.association-aglae.fr contact@association-aglae.fr



PTS Indexes in waters

5A Global indexes in fresh waters
5B Global indexes in waste waters
5C Total hydrocarbons index in waters
5D Volatile hydrocarbons index in waters

Glossary of the matrices used

Name of the matrix for	Below the matrices that can be used, alone or mixed, to comply with the representativity of the specified matrix									
water chemistry	public drinking waters	o portied waters		deionised waters	surface waters					
Fresh waters										
Natural waters					x					
Clean waters	x	х	x	x	X (clear)					

Name of the matrix for	Below the matrices that can be used, alone or mixed, to comply with the representativity of the specified matrix								
water chemistry	Waste waters from urban WWTP	Synthetic waters							
Waste waters	X	X							

WWTP: Waste Water Treatment Plant



Participate in AGLAE's External Quality Control



A WAY OF WORKING THAT PROVIDES YOU WITH THE HIGHEST STANDARD OF RESULTS WITH CONFIDENTIALITY AND IMPARTIALITY

Each step of the way, AGLAE is there supporting you.

REGISTRATIONS FOR PROFICIENCY TESTING ARE DONE KNOWING THE WHOLE PROCESS, WITH A

DETAILED AND RIGOUROUS SCHEDULE




- The number of evaluations per year for each parameter is specified in the catalogue, concentration levels and stabilisation are available on request.
- AGLAE uses "express" shipments for your samples and makes sure of their distribution to your laboratory.
- ✓ A sufficient delay to analyse and the report the results.
- ✓ Via your member area, enter your results and find instructions, assigned codes, reports, summaries of your results, certificate of participation...

THE OPTIMISATION OF RISK MANAGEMENT FOR YOUR LABORATORY



You have a better visibility of potential anomalies through:

- An appropriate test design (duplicate samples, repeaed measurements),
- ✓ A large number of participants: around 200 laboratories in the field of 'base' microbiology and 'base' physico-chemical analyses.



AGLAE's detailed study:

- Influence of the analytical methods, manufacturers (equipment and consumables)... factors that we study to help you improve the quality of your analyses,
- For waters intended for medical use and water microbiology, estimation of your own uncertainties in microbiology,
- Check of your uncertainty estimates in chemistry (zeta-score),
- A report validated by experts of the field and personalised for most tests.

ATTRACTIVE DISCOUNTS, PAYMENT CONDITIONS MADE EASIER

- Choose among the various programmes and benefit from discounts up to 15%,
- A possible payment in 2 or 3 folds depending on the amount your participation.
- Payment possible by cheque (in €), bank transfer, credit card on https://www.helloasso.com/associations/a-g-l-a-e/paiements/aglae

Amount of your invoice (excluding transport cost)	Discount
3000 ≤ Amount < 6000 € excl. VAT	5%
6000 ≤ Amount < 9000 € excl. VAT	10%
Amount ≥ 9000 € excl. VAT	15%



Additional services



ADDITIONAL TEST SAMPLES TO TEST ANOTHER METHOD, EVALUATE A TECHNICIAN

- Test samples available for almost all the tests at half price.
- Besides your usual distribution, you receive one (or several) additional parcel(s).
- ✓ The results of these samples are not statistically processed by AGLAE but for most tests you get a sheet in your results file where to calculate your z-score. Note that this sheet can also be used in case of unit error, incorrect results' report, etc.

 \Rightarrow Check the **list of samples and their price on your Member Area** (Downloads / Catalogues) and contact us to receive a quote. These additional samples need to be ordered after you registration for the test and up to 2 weeks before the shipment.



QUALITY CONTROL MATERIALS FOR YOUR MONITORING AND IMPROVEMENT OF YOUR ANALYTICAL PERFORMANCE

- Materials coming from the solid matrices tests: sediments, sludge, polluted sites and soils.
- Purchased at any time during the year and delivered with a certificate presenting the precision values obtained during the test (assigned value and uncertainties).

⇒ Check the **list of materials, prices and available quantities** on your Member Area (Downloads / Catalogues) and contact us to receive a quote.



TRAINING SESSIONS IN MICROBIOLOGY: ONE TOPIC POSSIBLY PROVIDED IN ENGLISH

Two-day on-line session to become operational for:

- ✓ Characterising a microbiological method according to ISO 13843 in order to validate it
- ⇒ Should you be interested in such a session, please get back to us.



CUSTOMIZED SERVICE: 'PERFORMANCE CHARACTERISTICS OF MICROBIOLOGICAL METHODS'

Do you need to characterise specific methods?

AGLAE can provide you support to establish methods performance characteristics, in conformity with ISO 13843*. Benefit from AGLAE's technical and statistical experience to validate your microbiological method.

- * Water quality Requirements for establishing performance characteristics of quantitative microbiological methods
- \Rightarrow Should you have such needs, contact us to study your request together and issue a quote.



SUMMARY OF YOUR RESULTS FOR WATER MICROBIOLOGY AND WATER FOR MEDICAL USE TESTS

Gather at any time your results and performance: for a selected period, your results are grouped in an Excel file; this is a tool to support you in your Internal Quality Control, your audits...

4/9



Programmes' description

One programme includes from 1 to 4 proficiency tests (= rounds).

Prices specified in the catalogue are for the complete programme, which corresponds to several rounds most of the time.

When purchasing a complete programme, the price per test is lower.

Content

For each programme's description, you will find the technical content of the test: volumes, parameters, matrices, dispatch month...

The concentration levels and stabilisation modalities of the samples are available on request.

The samples' dispatch months are given for information only.

Transport costs depend on the destination and tests selected within the programmes; contact us to get a quote.

Our aim is to prepare materials as close as possible to the samples analysed in routine: the contamination levels can therefore be very low or very high.

→ Our concentration levels are available on request.

Caption



This logo shows that the programme is accredited by LABORATORIES section in compliance with ISO/IEC 17043.



PROGRAMME **5A**: GLOBAL INDEXES IN FRESH WATERS

The materials are suitable for the check of analyses in fresh waters, public drinking waters, spring waters and non-atypical natural mineral waters.



€ 225 excl. VAT - total amount for 2 tests (excluding transport costs)

52 participants in 2024 – EXPERIENCE > 25 YEARS



Need to test another method, evaluate your staff?

Order additional test samples (parcel in its entirety): € 60 excl. VAT (excluding transport costs)

2 SHIPMENTS AVAILABLE / YEAR - REFRIGERATED PARCEL												
Month	1	2	3	4	5	6	7	8	9	10	11	12
Test	25M5A.1								25M5A.2			
Matrix	Clean water								Natural water			

Parameters to analyse for each shipment
Free cyanide, total cyanide (index)
Phenol index
Anionic surfactants index



PROGRAMME 5B: GLOBAL INDEXES IN WASTE WATERS



€ 262 excl. VAT - total amount for 2 tests (excluding transport costs)

67 participants in 2024 - EXPERIENCE > 25 YEARS



Need to test another method, evaluate your staff?

Order additional test samples (parcel in its entirety): € 70 excl. VAT (excluding transport costs)

2 SHIPMENTS AVAILABLE / YEAR - REFRIGERATED PARCEL												
Month	1	2	3	4	5	6	7	8	9	10	11	12
Test			25M5B.1									25M5B.2
Matrix			Waste water									Waste water

Parameters to analyse for each shipment
free cyanide, total cyanide (index)
phenol index
anionic surfactants index



PROGRAMME 5C: TOTAL HYDROCARBONS INDEX IN WATERS

Clean and natural waters: the materials are suitable for the check of analyses in fresh waters, public drinking waters, spring waters and non-atypical natural mineral waters.



€ 240 excl. VAT - total amount for 4 tests (excluding transport costs)

93 participants in 2024 - EXPERIENCE > 25 YEARS



Need to test another method, evaluate your staff?

Order additional test samples (parcel in its entirety): € 30 excl. VAT (excluding transport costs)

4 SHIPMENTS AVAILABLE / YEAR - REFRIGERATED PARCEL												
Month	Month 1 2 3		4	5	6	7	8	9	10	11	12	
Test	25M5C.1			25M5C.2					25M5C.3			25M5C.4
Matrix	Clean water			Waste water					Natural water			Waste water

Parameters to analyse for each shipment

total hydrocarbons index - C10-C40 range

PARTICULARITIES

Total hydrocarbons index - C10-C40 range according to (NF EN) ISO 9377-2 or equivalent standard.

Total hydrocarbons index - C10-C40 range: sum of the concentrations of compounds extractable with a hydrocarbon solvent, boiling point between 36 °C and 69 °C, not adsorbed on Florisil and which may be chromatographed by GC-FID, with retention times between those of n-decane (C10H22) and n-tetracontane (C40H82).



PROGRAMME 5D:

VOLATILE HYDROCARBONS INDEX IN WATERS



€ 237 excl. VAT - total amount for 4 tests (excluding transport costs)

27 participants in 2024 - EXPERIENCE > 5 YEARS



Need to test another method, evaluate your staff?

Order additional test samples (parcel in its entirety): € 30 excl. VAT (excluding transport costs)

New: addition of a second test in natural water

4 SHIPMEN	4 SHIPMENTS AVAILABLE / YEAR - REFRIGERATED PARCEL											
Month	1	2	3	4	5	6	7	8	9	10	11	12
Test		25M5D.1			25M5D.2			25M5D.3			25M5D.4	
Matrix		Waste water			Natural water			Waste water			Natural water	

Parameters to analyse for each shipment

Volatile hydrocarbons index – C5-C9 range

PARTICULARITIES

Volatile hydrocarbons index – C5-C9 range according to NF T90-124 or equivalent standard.

Volatile hydrocarbons index – C5-C9 range: sum of concentrations of compounds present in the static headspace giving a response in gas chromatography equipped with a nonpolar column and a flame ionization detector (GC/FID), in experimental conditions enabling to obtain a C5/123-TMB ratio between 0,7 and 1,3, and with retention times between those of pentane (C5H12) and 1,2,3-trimethylbenzene (C9H12).